

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

--	--	--	--	--

--	--	--	--

## Pearson Edexcel Level 3 GCE

Time 2 hours

Paper  
reference

**9PS0/03**

**Psychology**

**Advanced**

**PAPER 3: Psychological Skills**

**Calculators may be used.**

Total Marks

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*

### Information

- The total mark for this paper is 80.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

### Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P70800A

©2022 Pearson Education Ltd.

Q:1/1/1/1/1/1/1/



Pearson

## FORMULAE AND STATISTICAL TABLES

### Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum(x - \bar{x})^2}{n - 1}\right)}$$

### Spearman's rank correlation coefficient

$$1 - \frac{6 \sum d^2}{n(n^2 - 1)}$$

### Critical values for Spearman's rank

N	Level of significance for a one-tailed test				
	0.05	0.025	0.01	0.005	0.0025
	Level of significance for a two-tailed test				
	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

**Chi-squared distribution formula**

$$X^2 = \sum \frac{(O-E)^2}{E}$$

$$df = (r - 1)(c - 1)$$

**Critical values for chi-squared distribution**

Level of significance for a one-tailed test						
	0.10	0.05	0.025	0.01	0.005	0.0005
Level of significance for a two-tailed test						
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



**Mann-Whitney U test formulae**

$$U_a = n_a n_b + \frac{n_a(n_a+1)}{2} - \sum R_a$$

$$U_b = n_a n_b + \frac{n_b(n_b+1)}{2} - \sum R_b$$

(U is the smaller of  $U_a$  and  $U_b$ )

**Critical values for the Mann-Whitney U test**

		$N_b$																	
		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
$N_a$																			
<b><math>p \leq 0.05</math> (one-tailed), <math>p \leq 0.10</math> (two-tailed)</b>																			
<b>5</b>	4	5	6	8	9	11	12	13	15	16	18	19	20	22	23	25			
<b>6</b>	5	7	8	10	12	14	16	17	19	21	23	25	26	28	30	32			
<b>7</b>	6	8	11	13	15	17	19	21	24	26	28	30	33	35	37	39			
<b>8</b>	8	10	13	15	18	20	23	26	28	31	33	36	39	41	44	47			
<b>9</b>	9	12	15	18	21	24	27	30	33	36	39	42	45	48	51	54			
<b>10</b>	11	14	17	20	24	27	31	34	37	41	44	48	51	55	58	62			
<b>11</b>	12	16	19	23	27	31	34	38	42	46	50	54	57	61	65	69			
<b>12</b>	13	17	21	26	30	34	38	42	47	51	55	60	64	68	72	77			
<b>13</b>	15	19	24	28	33	37	42	47	51	56	61	65	70	75	80	84			
<b>14</b>	16	21	26	31	36	41	46	51	56	61	66	71	77	82	87	92			
<b>15</b>	18	23	28	33	39	44	50	55	61	66	72	77	83	88	94	100			
<b>16</b>	19	25	30	36	42	48	54	60	65	71	77	83	89	95	101	107			
<b>17</b>	20	26	33	39	45	51	57	64	70	77	83	89	96	102	109	115			
<b>18</b>	22	28	35	41	48	55	61	68	75	82	88	95	102	109	116	123			
<b>19</b>	23	30	37	44	51	58	65	72	80	87	94	101	109	116	123	130			
<b>20</b>	25	32	39	47	54	62	69	77	84	92	100	107	115	123	130	138			



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

$N_a$	$N_b$															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

 **$p \leq 0.01$  (one-tailed),  $p \leq 0.02$  (two-tailed)**

<b>5</b>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>6</b>	2	3	4	6	7	8	9	11	12	13	15	16	18	19	20	22
<b>7</b>	3	4	6	7	9	11	12	14	16	17	19	21	23	24	26	28
<b>8</b>	4	6	7	9	11	13	15	17	20	22	24	26	28	30	32	34
<b>9</b>	5	7	9	11	14	16	18	21	23	26	28	31	33	36	38	40
<b>10</b>	6	8	11	13	16	19	22	24	27	30	33	36	38	41	44	47
<b>11</b>	7	9	12	15	18	22	25	28	31	34	37	41	44	47	50	53
<b>12</b>	8	11	14	17	21	24	28	31	35	38	42	46	49	53	56	60
<b>13</b>	9	12	16	20	23	27	31	35	39	43	47	51	55	59	63	67
<b>14</b>	10	13	17	22	26	30	34	38	43	47	51	56	60	65	69	73
<b>15</b>	11	15	19	24	28	33	37	42	47	51	56	61	66	70	75	80
<b>16</b>	12	16	21	26	31	36	41	46	51	56	61	66	71	76	82	87
<b>17</b>	13	18	23	28	33	38	44	49	55	60	66	71	77	82	88	93
<b>18</b>	14	19	24	30	36	41	47	53	59	65	70	76	82	88	94	100
<b>19</b>	15	20	26	32	38	44	50	56	63	69	75	82	88	94	101	107
<b>20</b>	16	22	28	34	40	47	53	60	67	73	80	87	93	100	107	114

$N_a$	$N_b$															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

 **$p \leq 0.025$  (one-tailed),  $p \leq 0.05$  (two-tailed)**

<b>5</b>	2	3	5	6	7	8	9	11	12	13	14	15	17	18	19	20
<b>6</b>	3	5	6	8	10	11	13	14	16	17	19	21	22	24	25	27
<b>7</b>	5	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34
<b>8</b>	6	8	10	13	15	17	19	22	24	26	29	31	34	36	38	41
<b>9</b>	7	10	12	15	17	20	23	26	28	31	34	37	39	42	45	48
<b>10</b>	8	11	14	17	20	23	26	29	33	36	39	42	45	48	52	55
<b>11</b>	9	13	16	19	23	26	30	33	37	40	44	47	51	55	58	62
<b>12</b>	11	14	18	22	26	29	33	37	41	45	49	53	57	61	65	69
<b>13</b>	12	16	20	24	28	33	37	41	45	50	54	59	63	67	72	76
<b>14</b>	13	17	22	26	31	36	40	45	50	55	59	64	67	74	78	83
<b>15</b>	14	19	24	29	34	39	44	49	54	59	64	70	75	80	85	90
<b>16</b>	15	21	26	31	37	42	47	53	59	64	70	75	81	86	92	98
<b>17</b>	17	22	28	34	39	45	51	57	63	67	75	81	87	93	99	105
<b>18</b>	18	24	30	36	42	48	55	61	67	74	80	86	93	99	106	112
<b>19</b>	19	25	32	38	45	52	58	65	72	78	85	92	99	106	113	119
<b>20</b>	20	27	34	41	48	55	62	69	76	83	90	98	105	112	119	127



P 7 0 8 0 0 A 0 5 3 6

$N_a$	$N_b$															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<b><math>p \leq 0.005</math> (one-tailed), <math>p \leq 0.01</math> (two-tailed)</b>																
<b>5</b>	0	1	1	2	3	4	5	6	7	7	8	9	10	11	12	13
<b>6</b>	1	2	3	4	5	6	7	9	10	11	12	13	15	16	17	18
<b>7</b>	1	3	4	6	7	9	10	12	13	15	16	18	19	21	22	24
<b>8</b>	2	4	6	7	9	11	13	15	17	18	20	22	24	26	28	30
<b>9</b>	3	5	7	9	11	13	16	18	20	22	24	27	29	31	33	36
<b>10</b>	4	6	9	11	13	16	18	21	24	26	29	31	34	37	39	42
<b>11</b>	5	7	10	13	16	18	21	24	27	30	33	36	39	42	45	48
<b>12</b>	6	9	12	15	18	21	24	27	31	34	37	41	44	47	51	54
<b>13</b>	7	10	13	17	20	24	27	31	34	38	42	45	49	53	56	60
<b>14</b>	7	11	15	18	22	26	30	34	38	42	46	50	54	58	63	67
<b>15</b>	8	12	16	20	24	29	33	37	42	46	51	55	60	64	69	73
<b>16</b>	9	13	18	22	27	31	36	41	45	50	55	60	65	70	74	79
<b>17</b>	10	15	19	24	29	34	39	44	49	54	60	65	70	75	81	86
<b>18</b>	11	16	21	26	31	37	42	47	53	58	64	70	75	81	87	92
<b>19</b>	12	17	22	28	33	39	45	51	56	63	69	74	81	87	93	99
<b>20</b>	13	18	24	30	36	42	48	54	60	67	73	79	86	92	99	105

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



### Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

### Critical values for the Wilcoxon Signed Ranks test

<i>n</i>	Level of significance for a one-tailed test		
	0.05	0.025	0.01
	Level of significance for a two-tailed test		
	0.1	0.05	0.02
N=5	0	-	-
6	2	0	-
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



Answer ALL questions.

## SECTION A

### Research Methods

#### 1 Junior to senior Pinocchio study

Approximately 1000 participants were recruited by researchers to visit a Science Centre to investigate lying ability and frequency. The researchers used a cross-sectional design for their study. The participants had their ability and frequency of lying measured and their results were then grouped into age categories.

To measure lying ability the participants had to respond to 15 simple questions with a 'yes' or 'no' response. For example, one question was 'can pigs fly?'. Participants were told to either tell the truth or lie depending on the colour of the yes/no response options. The researchers expected the most able liars to respond the quickest and with fewer errors when lying and the least able liars to either have a delayed response or give a reflex truthful response when told to lie.

To measure lying frequency, the participants were asked how many times they had lied in the past 24 hours to family members, friends and strangers in a face-to-face situation.

The age categories and number of participants used for the study are shown in **Table 1**.

Age (years)	Description	Number of participants
6–8	Early childhood	102
9–12	Mid childhood	295
13–17	Adolescence	101
18–29	Young adulthood	83
30–44	Mid adulthood	216
45–59	Older adulthood	134
60–77	Seniors	61

**Table 1**

(Source: adapted from Debey et al. (2015))





(a) Explain **one** strength and **one** weakness of using a cross-sectional design for the junior to senior Pinocchio study.

(4)

Strength

.....

.....

.....

.....

.....

.....

Weakness

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



**Table 2** shows the average lying ability of the participants in each of the age categories.

Age (years)	Description	Error rate (%)	Response times (seconds)
6–8	Early childhood	20.20	3.83
9–12	Mid childhood	16.86	3.46
13–17	Adolescence	14.59	3.30
18–29	Young adulthood	8.55	3.25
30–44	Mid adulthood	9.03	3.50
45–59	Older adulthood	10.40	3.60
60–77	Seniors	12.65	3.60

**Table 2**

(b) Explain **two** conclusions you can make using the data in **Table 2** regarding the lying ability of the participants in the age categories.

(4)

1 .....

.....

.....

.....

.....

2 .....

.....

.....

.....

.....

.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Explain **one** weakness of the junior to senior Pinocchio study in terms of validity. (2)

.....

.....

.....

.....

.....

.....

(d) Explain **one** strength of the junior to senior Pinocchio study in terms of reliability. (2)

.....

.....

.....

.....


.....

.....



**Figure 1** shows the lying frequency of the participants in the junior to senior Pinocchio study.

**A histogram to show the frequency distribution of percentage (%) of lies from participants in the past 24 hours**



**Figure 1**

(e) State **one** conclusion that could be made from **Figure 1** with reference to the type of skew shown.

(1)

.....

.....

.....

.....



The lying frequency for each age category is shown in **Table 3**.

Age (years)	Description	Mean lying frequency (past 24 hours)
6–8	Early childhood	1.75
9–12	Mid childhood	2.5
13–17	Adolescence	3
18–29	Young adulthood	2.5
30–44	Mid adulthood	2
45–59	Older adulthood	1.75
60–77	Seniors	1.5

**Table 3**

- (f) Calculate the overall mean lying frequency for the participants using the data in **Table 3**. You must give your answer to **one** decimal place.

(1)

**SPACE FOR CALCULATIONS**

Mean .....

- (g) The researchers used a volunteer sampling technique to gather the participants for the junior to senior Pinocchio study.

Explain **one** weakness with using a volunteer sampling technique for the junior to senior Pinocchio study.

(2)

.....

.....

.....

.....

.....

.....

.....

.....

**(Total for Question 1 = 16 marks)**



## 2 'Textisms' and literacy study

Researchers wanted to explore the relationship between children's knowledge of text message abbreviations and their standard of literacy.

The researchers gained informed parental consent for 88 British children aged 10–12 years old to be involved in their research study. They asked the participants to compose a series of text messages when provided with a set of scenarios. This gave a measure of the children's knowledge of text message (SMS) abbreviations called 'textisms'. An example of a 'textism' could be the use of contractions such as 'txt', 'plz', 'hmwrk'.

Subsequently the researchers measured the children's vocabulary scores using a standardised tool called The British Picture Vocabulary Scales II (Dunn, Dunn, Whetton & Burley, 1997).

The researchers found that the ratio of 'textisms' used to total words by the children was positively associated with their vocabulary.

(Source: adapted from Plester et al. (2009))

**Table 4** shows the vocabulary scores and the ratio of 'textisms' to words used by the children in one class.

Child	Vocabulary score	Ratio of 'textisms' to words used in the scenarios
A	100	0.34
B	87	0.20
C	105	0.45
D	92	0.28
E	98	0.32
F	107	0.49
G	101	0.38
H	96	0.30
I	114	0.51

**Table 4**



(a) Calculate the standard deviation for the vocabulary score using the data in **Table 4**. Show your working and give your answer to **two** decimal places.

(4)

**SPACE FOR CALCULATIONS**

Standard deviation .....

(b) Explain **one** reason for using the standard deviation rather than the range as a measure of dispersion.

(2)

.....  
.....  
.....  
.....  
.....  
.....  
.....

(c) Explain **one** improvement that could be made to the 'textisms' and literacy study.

(2)

.....  
.....  
.....  
.....  
.....  
.....  
.....

**(Total for Question 2 = 8 marks)**

**TOTAL FOR SECTION A = 24 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**





## SECTION B

### Review of Studies

#### 3 Reconciliation after romantic conflict study

Researchers investigated male and female beliefs regarding how to reconcile after romantic conflict with their partner.

In the first part of their study they asked 20 males and 18 females to write down five acts or behaviours they believe that people of their own sex perform (or may perform) to attempt to reconcile with their partner after they have experienced romantic conflict.

The most common acts or behaviours that participants proposed are shown in **Table 5**.

Act or Behaviour
Communicate
Apologise
Forgive your partner
Spend time together
Give a kiss / hug / affection
Make your partner laugh
Take some space
Ignore partner / avoid partner
Vent to a friend
Cry
Drink alcohol

**Table 5**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



In the second part of their study the researchers asked the participants to rate the perceived effectiveness of the acts or behaviours they had proposed in the first part of the study. They had to rate them from 1 (very ineffective) to 7 (very effective).

The mean ratings for the males and females are shown in **Table 6**.

<b>Act or Behaviour</b>	<b>Males (1–7)</b>	<b>Females (1–7)</b>
Communicate	5.99	6.13
Apologise	5.14	5.98
Forgive your partner	5.63	5.62
Spend time together	5.29	5.72
Give a kiss / hug / affection	5.15	4.99
Make your partner laugh	5.12	4.09
Take some space	4.66	5.02
Ignore partner / avoid partner	1.85	1.73
Vent to a friend	3.17	2.84
Cry	2.32	3.25
Drink alcohol	1.83	1.55

**Table 6**

(Source: adapted from Wade et al. (2017))

- (a) The researchers wanted to see if there was a significant difference in the perceived effectiveness of crying. They conducted a Mann-Whitney U test and found an observed / calculated value of 110 for a 5% level of significance with a two-tailed test.

Explain what this shows in terms of the perceived effectiveness of crying in the reconciliation after romantic conflict study.

(2)

.....

.....

.....

.....

.....

.....

.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Using research evidence, explain how far social learning theory could account for the findings of the reconciliation after romantic conflict study.

(6)

Area with horizontal dotted lines for writing the answer.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**(Total for Question 3 = 8 marks)**



4 Evaluate Watson and Rayner (1920) and Sherif et al. (1954/1961) in terms of ethical issues. (16)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



P 7 0 8 0 0 A 0 2 3 3 6

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 4 = 16 marks)

**TOTAL FOR SECTION B = 24 MARKS**





### SECTION C

#### Issues and Debates

**5** Jay and his friends are 17 year-olds and are all learning to drive a car. Some of his friends are studying for their theory test and some are practising for their practical test. Nishka passed both tests on her first attempt whilst Oscar failed his first and second attempts at the theory test.

Jay enjoys watching Formula 1 car racing and his favourite driver won the championship last season. Jay loves Go Karting, and his father encourages and praises him. He recently won a race. Jay took his practical driving test, but he failed his first attempt due to speeding.

Until he can take his test again Jay is being driven to college by Nishka. She keeps forgetting the route to school so has to use a Sat Nav device on her phone to guide them.

Evaluate the extent to which human behaviour, such as the ability to drive, can be explained by biological psychology.

You must make reference to the context in your answer.

(12)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



P 7 0 8 0 0 A 0 2 7 3 6

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 5 = 12 marks)



6 Assess the impact of socially-sensitive research in psychology.

(20)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Area with horizontal dotted lines for writing.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



P 7 0 8 0 0 A 0 3 1 3 6

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**(Total for Question 6 = 20 marks)**

**TOTAL FOR SECTION C = 32 MARKS**  
**TOTAL FOR PAPER = 80 MARKS**



P 7 0 8 0 0 A 0 3 3 3 6

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



P 7 0 8 0 0 A 0 3 5 3 6

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

